

Birding Peninsular Malaysia (September 23-29, 2007)

Reported by Lim Kim Seng (ibisbill@yahoo.com)

Trip Objectives

The purpose of this trip was to see as many forest species as possible on a seven-day trip. This included three days in lowland forest at Panty Forest Reserve in lieu of the more traditional Taman Negara and four days at Fraser's Hill. One full day was spent travelling as opposed to Taman Negara which would have involved nearly two days travel. A half day stopover to see mangrove and coastal species would certainly have boosted the total species count to well over 200 but Dennis didn't need to since he's birded these habitats before. The itinerary mirrors that of the major bird tour companies which tend to spend an additional day at Ulu Gombak and see up to 250 species on a 10-11 day tour. Season-wise, this was not optimal timing as many residents have become silent and missing although this is partially made up by the presence of migrants.

Weather

At Panty, the weather was consistently cloudy and dry. The dry weather meant that streams were also not as productive for kingfishers. In general, the dry weather and late season meant that birds were not as numerous as normal.

At Fraser's Hill, the weather was generally cool, dry and cloudy except for Wednesday when it was misty and wet the whole day. Temperature ranged from 20 to 25 degrees.

Birding Highlights

Over the seven days, the impressions were of lower than normal bird activity, especially at Panty where the dry weather meant that birds were quieter and less active than say during the breeding season. Bird waves were also scarce and there were long periods where no birds were heard or seen even during the "peak" hours. We birded the entire trail up to the first stream but birds were generally richer further in than out. Night birds were scarce too although the frogmouths called. Highlights at Panty were an almost full complement of bulbuls (12 species), both forest corvids and all lowland malkohas, and a selection of babblers, sunbirds and flowerpeckers. The best bird here was a **Bat Hawk** seen on the first night. 110 species were recorded during three days here.

Fraser's Hill was still as good as before but some birds were rare or not encountered at all. These included **Speckled Piculet**, **Long-tailed** and **Silver-breasted Broadbills**, **White-tailed Robin**, **Chestnut-crowned Warbler** and **Mountain Leaf-warbler**. Species that appeared to have declined were **Large Niltava** and **Orange-bellied Leafbird**. The common birds appeared as common as ever with **Long-tailed Sibia** still the commonest species here. We birded the usual places – Gap Road, Telecom Loop, High Pines Road, Waterfall Road, Rubbish Tip, Bishop House and Jalan Lady Maxwell. Trails used included Bishop's, Abu Suradi, Mager and Hemmant. We did not bird the new road and may have missed the hornbills because of this. The highlight of our Fraser's Hill stay were seeing all the Malayan endemics (although I missed the pheasant, again!) and **Collared Owlet**. The party of **Malayan Partridges** seen flying across the road at Bishop's will remain etched in my mind as one of my most treasured birding moments here and is without doubt my bird of the trip. 111 species were recorded during our four days here.

Day One (23 Sep)

Day One birding at Bunker saw us miss the dawn chorus as we arrived just before 08h00. Morning activity was low and slow. The weather was cloudy and warm. We covered the bunker track until the first stream. The morning's list included the usual bulbuls, malkohas and two broadbills but surprisingly no trogons. Best bird of the morning was a **Crested Jay** near the swamp. Otherwise, the morning was unusually quiet with heavy vehicular (truck) traffic.

The resumption of birding in the afternoon was even worse with near zero activity until dusk. We added a **Grey-bellied Bulbul** family, **Malaysian Eared Nightjar** and the best bird of the day, a **Bat Hawk** just after at dusk. No night birds were heard. We ended the first day with 62 species.

Day Two (24 Sep)

We got into Bunker later than expected because of a technical malfunction. I awoke at 04h00 and then went back to sleep. Recovered to leave hotel by 05h00 and reached Bunker at 05h30. No night birds were seen or heard when we got to our starting point at the swamp. However, the best sighting of the day was a mongoose crossing the track here just after dawn. I heard **Green Broadbill** at the swamp. We also saw a **Black Magpie** near here. Other than these highlights, the birding was also much better than the day before with a particular good wave just at the slope where Dennis got eight lifers including **Banded Bay Cuckoo**, **Lesser Cuckoo-shrike** and **Yellow-breasted Flowerpecker**. The weather was cloudy and slightly windy. After this burst of activity at about 09h30, it was downhill till about 11h30 when we left for lunch. In contrast to the first day, traffic was lesser than the previous day with increased military presence. I was glad the army folks didn't bother us.

Coming back at 17h00, it was once again very quiet other than a **Red-crowned Barbet** at a fruiting tree until about 18h30 when we were entertained by at least three **White-bellied Woodpeckers**, **Hill Mynas**, **Little Green Pigeons**, and, finally, a **Blue-crowned Hanging Parrot** for Dennis. We did see another **Malaysian Eared Nightjar** but no other night birds yet again. We ended the second day here with 67 species and increased our tally for Panti over the two days to 89 species.

Day Three (25 Sep)

Again, I woke up and slept again, and it was 04h40 when we left the hotel. We reached the Bunker at 05h00 and I elected to start where we had good luck the previous morning – the slope. We waited for half an hour for calls but none were detected. I suggested walking down the slope for a couple of hundred metres to see if any night birds were calling. Sure enough, we detected a **Gould's Frogmouth** calling from somewhere inside the forest at 05h30 but could not find it as it fell silent as soon as we entered the forest. Another frogmouth, this time a **Javan Frogmouth** (single note) was also detected at 06h00 but it too fell quiet after a while. No luck with night birds but at least one **Malaysian Eared Nightjar** circled till 07h00 before the bats left and the swiftlets came in. Soon, the tall fruiting tree was full of leafbirds, fairy bluebirds, bulbuls and about half a dozen **Red-crowned Barbets**. At least one **Rufous-collared Kingfisher** was also heard here. The nearby *Eurya* trees were also alive with bulbuls and flowerpecker but nothing that Dennis needed. Good birds in the early morning included three **Black Magpies** seen very well, including one seen picking off a lizard, most likely a *Draco*, by sallying(!), and a pair of Finsch's Bulbuls.

We walked down the slope again but it was nothing like the day before. We got a few birds and then silence. I drove further in until a spot about 500 metres from the first stream. My goodness, it was party time! At least 20 species and 100 birds were detected here from 09h30 to 10h30. These included several birds that Dennis needed – **Red-billed Malkoha**, **Asian Paradise Flycatcher**, **Rufous-winged Philentoma**, **White-bellied Yuhina**, **Ruby-cheeked** and **Temminck's Sunbirds**. We also got a severe neck ache from here.

We wanted to try for **Red-bearded Bee-eater** at the first stream but the army was there and we retreated. We stopped at one more spot picking up five bulbuls including a group of **Ashy Bulbuls**, which were new

to Dennis. There were no further birds as we headed out to the main road. We ended the morning with 76 species. Over three days, we recorded 110 species.

The rest of the day was uneventful bird-wise. We reached Fraser's Hill at 20h15, after an eight-hour journey across Johor and up the peninsula. The rush hour traffic near KL and to Ipoh was bad. We ended up having to return to the highway so that we could avoid the Rawang rush-hour congestion.

Day Four (Sep 26)

I awoke on schedule (05h30) for the first time in three days. We reached the Gap in time for dawn chorus but the gloomy sky meant the birds were quieter than normal. The highlights were a calling **Marbled Wren Babbler** at the Lower Gates and a **Collared Owlet** heard at two locations in the first kilometre of the Gap Road. Rain duly came at 09h00 and ended our first day's birding at the Gap. We ended the morning at the Gap with 25 species. Breakfast at the hotel restaurant gave us two new birds – **Chestnut-capped Laughingthrush** and **Long-tailed Sibia**. We wanted to resume birding but rain and mist intervened.

The afternoon was spent either waiting for the rain and mist to subside or wandering around Fraser's Hill, trying to find evidence of birdlife. Despite driving round the High Pines Garden, Bishop's House Road and Telecom Loop, we didn't see any. We had dinner at 19h00 at the town centre. We chatted with a Norwegian birder who had just arrived and would be staying for two weeks birding at Fraser's Hill and Taman Negara. We retired to our hotel at 21h00 and ended the day with a miserable 33 species.

Day Five (Sep 27)

I woke up one hour ahead (05h00) and was amply prepared to leave by 06h00. I heard **Mountain Scops Owl** in hotel carpark as we left for the Gap. We reached the Gap Rest House by 06h30. It was still dark but no night birds were heard as the sky brightened slowly. A restless **Tiger Shrike** was our first bird of the day as we waited for brighter conditions. The sky was partly cloudy and the sun shone through later. We had a small wave past the 1 km mark when we saw our first **Grey-chinned Minivet** flock followed by **Bar-winged Flycatcher-shrike**, **White-browed Shrike Babbler**, **Spotted Fantail** and a **Red-billed Malkoha**. We also saw a surprise **Large Hawk-cuckoo** perched on a wire here and a **Slaty-backed Forktail** which led us for about 100 metres after the 1 km mark. Moving up to the Damar Minyak sign, we had 7 raptors of 4 species – **Crested Serpent Eagle** (1), **Black Eagle** (1), **Blyth's Hawk Eagle** (2) and **Oriental Honey Buzzard** (3). We also heard an **Orange-breasted Trogon** here but there were no signs of **Ferruginous Partridge**, **Black-thighed Falconet** or **Silver-breasted Broadbill** – all Dennis' target birds.

We left the Gap Rest House at 10h00 and reached Fraser's Hill by 10h30. We moved on to Bishop's House and promptly met our first proper montane bird wave. Members included **Chestnut-capped Laughingthrush** and **Long-tailed Sibia** as well as **Mountain Fulvetta**, **Blue-winged Minla**, **Golden Babbler**, **Mountain Tailorbird**, **Mountain Bulbul** and **Black-eared Shrike-babbler**. There was also a couple of **Little Cuckoo Doves** feeding nearby. Delighted with this introduction, we drove to the High Pines Road, where we were greeted by silence for the second consecutive day. Then, we went to peek at the infamous rubbish tip. There was a padlock and a gate, so I parked just outside and went in. There were both Pacific and Barn Swallows milling around, a Common Tailorbird and two Grey Wagtails. I also heard the scarce Golden-throated Barbet here. Of course, there was an all pervading stench and millions of flies! We gave up readily and went for lunch at the town centre (12h00 to 13h00). We added a pair of very near and preening **Black-throated Sunbirds** while enjoying our meal. It was sunny and around 25 degrees according to the town hall thermometer.

After lunch, we headed for the Telecom Loop and had further additions in the form of **Fire-tufted Barbet**, **Streaked Spiderhunter** (better look for Dennis) and **Rufous-browed Flycatcher**. A **Javan Cuckoo Shrike** was also heard but not seen. We proceeded to Bishop's Trail after this and walked for about an hour before emerging with leeches in our shoes and a **Streaked Wren Babbler** in our bag. Near the Bishop's Trail entrance, we were entertained by a friendly **Rufous-browed Flycatcher** which danced at our feet. Then, I saw my bird of the trip. We saw not one, not two looks, not even three but seven **Malayan Partridges** fly across the road into Bishop's Trail. The white face, barred upperparts and grey breasts were clearly seen. Wow! A lifer for me too! The last bird to fly across paused for a few seconds, allowing great

views for both of us. Another high point here was watching a pair of **Little Cuckoo Doves** defend a fruiting fig tree (red stalk, heart-shaped leaves) from other doves, minlas, mesias and sibias. This was around 15h45.

We had a half-hour Coke break at the town centre at 16h00 before resuming our birding back at the Telcoms Loop for the last birding of the day. For the next two hours, we added **Buff-breasted Babbler**, both yellownapes to our growing trip lists, as well as more sightings of both barbets, a perched **Mountain Imperial Pigeon** feeding on a medium-sized fig and voice records of **Black-and-crimson Oriole** and **Pygmy Wren Babbler**.

A quick warm shower and we were at the hotel restaurant at 19h00 for our dinner and daily bird list meeting. We had 79 species today and a cumulative total of 88 for Fraser's Hill by the second day (first day if you consider that the previous day was practically washed out by bad weather), and an overall trip cumulative total of 171 species by the end of Day 5. We have two more days to achieve 200, if that is possible?

Day Six (Sep 28)

We left the hotel on cue at 06h30 and headed for the Upper Gates for the endemic **Malayan Whistling Thrush**. Near 06h50 I heard a drawn out high-pitched whistle at the junction to Singapore House and went up to check. Sure enough, the bird was hopping on the pavement. I motioned to Dennis to come and we had as good a look as we could in the dawn light. Thrush secured at 06h55, we left for Abu Suradi Trail. At the start, we heard **Black-and-crimson Oriole** but it was too dim to see. At the bend, I heard **Long-billed Partridge** but did not see it. We moved on until the end and then turned right at the junction to the main road. Dennis was in front of me at this stage and he flushed the **Mountain Peacock Pheasant**. I heard the bird flying off but didn't see it. We searched for a while but could not relocate the bird again.

After the pheasant adventure, we left Fraser's Hill for the Gap. En-route, we saw at least three **Slaty-backed Forktails** on the road. We reached the Gap Rest House before 08h00. The next two hours was quite eventful, especially near the 1 km mark where I finally found my first **Collared Owlet** for Malaysia (#525)! The bird was calling close and I played my tape. It flew nearer and was mobbed by a host of small birds including **Ochraceous Bulbuls** and **Lesser Green Leafbirds**. I had it scoped for Dennis for over 10 minutes until it was eventually chased off by a **Red-bearded Bee-eater**, which had showed well just moments before.

Back at the bend before the Lower Gates, we added **Grey-and-buff Woodpecker** and this was followed by half a dozen **Silver-rumped Spinetail**, a **Blue-crowned Hanging Parrot** and two **Striated Swallows** of the subspecies *badia*.

We left the Gap at 10h00 and arrived back at Shahzan Inn for our breakfast at 10h50. Breakfast done by 11h30, we left for the Waterfall Road. The waterfall path was quiet except for fulvettas, sibias, **Chestnut-capped Laughingthrush**, an immature **Tiger Shrike**, **Green-billed Malkoha**, **Grey-throated Babbler**, and three more new birds to add to our growing Fraser's Hill list – **Yellow-vented Bulbul**, **Yellow-bellied Prinia** and **White-rumped Munia**. We also saw a nest which may have belonged to a **Silver-breasted Broadbill** but no birds were seen.

Back at Fraser's Hill by 12h30, we passed by Bishop's House and also checked out the Telecom Loop but didn't see anything new. At 14h00, we stopped by the hotel for a short break. I took my lunch with a Norwegian birder while Dennis went for a jog. He came back an hour later with news that he had heard and then seen a **Bay Woodpecker**, a new bird for him.

At 15h30 we resumed our birding and proceeded to check Abu Suradi and then Mager Trails. Both trails were dead and we headed back to Bishop's House and then stopped by Jalan Lady Maxwell. Lady Luck was smiling on us as we chalked up an additional six new birds here – a male **Orange-bellied Leafbird**, a pair of **White-browed Shrike-babblers** (female scoped), a pair of **Black-and-crimson Oriole**, two **Green Magpies**, a juvenile female **Large Niltava** and a flock of **Black Laughingthrushes** – in the space of 15

minutes. All of the birds were seen well. We left this wonderful spot at 16h00 and promptly headed back to the Telecom Loop. Just five minutes after leaving JLM, we saw a perched **Javan Cuckoo-shrike**, our first sighting and a new bird for Dennis. Our drive around Telecom Loop produced one more cuckoo-shrike and 4 **Greater Yellownapes** but no further additions.

We returned to the hotel by 17h55 and decided to have dinner there and then. We had dinner al fresco and discussed the day's birding till 19h15. Taking our bags from my car, I heard **Mountain Scops Owl** again and then retired to my room for the night. Adding the two species that Dennis saw and I missed, we ended the day with 81 species, 109 for Fraser's Hill and 185 species overall for Day Three at Fraser's Hill.

Day Seven (Sep 29)

We left the hotel at 06h30 and headed straight away for Jelai Bungalow. We waited here for it to get light before attempting Abu Suradi Trail at 07h15 to see if we could see the **Mountain Peacock Pheasant** again. Unfortunately, the Norwegian beat us to it (he came from the mosque) and in any case, he did not see it either. A close calling but unseen **Pygmy Wren Babbler** was the highlight of this trail. Coming to the end of Abu Suradi Trail and in Mager Trail, we heard **Chestnut-crowned Laughingthrush**, a new bird for Dennis, and managed to lure a pair close with playback. At 07h45, we left for the waterfall. Just after passing the rubbish tip, we saw three **Yellow-throated Martens** running on the road with their tails held high. They disappeared near the pumphouse. We also stopped near Jeriau to investigate some bird calls and saw **Buff-breasted Babbler** (another new bird for Dennis), **Grey-throated Babbler**, two **Checker-throated Woodpeckers**, a **Green Magpie** and the other usual stuff.

The waterfall path was a major disappointment with nothing showing especially the much desired **Silver-breasted Broadbill**. We left the waterfall at 08h30 and had a quick breakfast at the hotel. Our last birding session around the Telecom Loop was successful as we nailed the **Blue Nuthatch** at last. Dennis himself found the birds but he missed a **Red-headed Trogon** perched all too briefly in a bamboo clump. Nevertheless, we had got all the birds we thought possible at Fraser's Hill and wrapped up our birding there and then. We had 45 species for our last day, 111 for Fraser's Hill and 188 species overall. A great trip as Dennis had 94 lifers in all from this trip. For me, this was a very successful week-long tour and I had a lifer (**Malayan Partridge**) and a Malaysian tick (**Collared Owlet**) to boot – wonderful!

We checked out of Shahzan Inn at 11h20 and arrived in Singapore at 18h30, with just one stop at Sungei Buloh to top up petrol and our stomachs. In total, the tour required a drive of nearly 1,600 km in all.

Systematic Lists of Birds and Mammals

Note: An asterisk next to the species name indicates heard only.

Birds

Panti Forest Reserve

Rufous Woodpecker *Celeus brachyurus**
White-bellied Woodpecker *Dryocopus javensis*
Banded Woodpecker *Picus miniaceus*
Crimson-winged Woodpecker *Picus puniceus*
Checker-throated Woodpecker *Picus mentalis*
Buff-rumped Woodpecker *Meiglyptes tristis*
Red-crowned Barbet *Megalaima rafflesii*
Yellow-crowned Barbet *Megalaima henricii*

Blue-eared Barbet *Megalaima australis**
Brown Barbet *Calorhmapus fuliginosus*
Black Hornbill *Anthracoceros malayanus**
Scarlet-rumped Trogon *Harpactes duvaucelii**
Banded Kingfisher *Lacedo pulchella**
Rufous-collared Kingfisher *Actenoides concretus**
Red-bearded Bee-eater *Nyctyornis amictus**
Banded Bay Cuckoo *Cacomantis sonnerati*
Violet Cuckoo *Chrysococcyx xanthorhynchus*
Black-bellied Malkoha *Phaenicophaeus diardi*
Chestnut-bellied Malkoha *Phaenicophaeus sumatranus*
Raffles's Malkoha *Phaenicophaeus chlorophaeus*
Red-billed Malkoha *Phaenicophaeus javanicus*
Chestnut-breasted Malkoha *Phaenicophaeus curvirostris*
Blue-rumped Parrot *Psittinus cyanurus*
Blue-crowned Hanging Parrot *Loriculus galgulus*
Long-tailed Parakeet *Psittacula longicauda**
Glossy Swiftlet *Collocalia esculenta*
Germain's Swiftlet *Collocalia germaini*
Silver-rumped Spinetail *Rhaphidura leucopygialis*
Brown-backed Needletail *Hirundapus giganteus*
House Swift *Apus nipalensis*
Grey-rumped Treeswift *Hemiprocne longipennis*
Whiskered Treeswift *Hemiprocne comata*
Gould's Frogmouth *Batrachostomus stellatus**
Javan Frogmouth *Batrachostomus javensis**
Malaysian Eared Nightjar *Eurostopodus temminckii*
Cinnamon-headed Green Pigeon *Treron fulvicollis*
Little Green Pigeon *Treron olax*
Thick-billed Green Pigeon *Treron curvirostra*
Bat Hawk *Macheiramphus alcinus*
Crested Serpent Eagle *Spilornis cheela*
Crested Goshawk *Accipiter trivirgatus*
Changeable Hawk-eagle *Spizaetus cirrhatus*
Blyth's Hawk Eagle *Spizaetus alboniger*
Dusky Broadbill *Corydon sumatranus*
Banded Broadbill *Eurylaimus javanicus*
Green Broadbill *Calyptomena viridis**
Golden-bellied Gerygone *Gerygone sulphurea*
Asian Fairy-Bluebird *Irena puella*
Greater Green Leafbird *Chloropsis sonnerati*
Lesser Green Leafbird *Chloropsis cyanopogon*
Blue-winged Leafbird *Chloropsis cochinchinensis*
Crested Jay *Platylophus galericulatus*
Black Magpie *Platysmurus leucopterus*
Large-billed Crow *Corvus macrohynchos*
Dark-throated Oriole *Oriolus xanthonotus*
Lesser Cuckoo Shrike *Coracina fimbriata*
Scarlet Minivet *Pericrocotus flammeus*
Black-winged Flycatcher-shrike *Hemipus hirundinaceus*
Greater Racket-tailed Drongo *Dicrurus paradiseus*
Black-naped Monarch *Hypothymis azurea*
Asian Paradise Flycatcher *Terpsiphone paradisi*
Green Iora *Aegithina viridissima*
Rufous-winged Philentoma *Philentoma pyrhopterum*
Large Woodshrike *Tephrodornis gularis*

Yellow-rumped Flycatcher *Ficedula zanthopygia*
 White-rumped Shama *Copsychus malabaricus*
 Asian Glossy Starling *Aplonis panayensis*
 Javan Myna *Acridotheres javanicus*
 Hill Myna *Gracula religiosa*
 Barn Swallow *Hirundo rustica*
 Grey-bellied Bulbul *Pycnonotus cyaniventris*
 Puff-backed Bulbul *Pycnonotus eutilotus*
 Olive-winged Bulbul *Pycnonotus plumosus*
 Cream-vented Bulbul *Pycnonotus simplex*
 Red-eyed Bulbul *Pycnonotus brunneus*
 Spectacled Bulbul *Pycnonotus erythrophthalmos*
 Finsch's Bulbul *Alophoixus finschii*
 Yellow-bellied Bulbul *Alophoixus phaeocephalus*
 Hairy-backed Bulbul *Tricholestes criniger*
 Buff-vented Bulbul *Iole olivacea*
 Streaked Bulbul *Ixos malaccensis*
 Ashy Bulbul *Hemixos flavala*
 Everett's White-eye *Zosterops everetti*
 Common Tailorbird *Orthotomus sutorius**
 Dark-necked Tailorbird *Orthotomus atrogularis*
 Rufous-tailed Tailorbird *Orthotomus sericeus*
 Arctic Warbler *Phylloscopus borealis*
 Eastern Crowned Warbler *Phylloscopus coronatus*
 Short-tailed Babbler *Malacocincla malaccensis**
 Black-capped Babbler *Pellorneum capistratum**
 Sooty-capped Babbler *Malacopteron affine*
 Scaly-crowned Babbler *Malacopteron cinereum*
 Rufous-crowned Babbler *Malacopteron magnum*
 Grey-headed Babbler *Stachyris poliocephala**
 Chestnut-rumped Babbler *Stachyris maculata*
 Chestnut-winged Babbler *Stachyris erythroptera*
 Striped Tit-babbler *Macronous gularis*
 Fluffy-backed Tit-babbler *Macronous ptilosus**
 White-bellied Yuhina *Yuhina zantholeuca*
 Yellow-breasted Flowerpecker *Prionochilus maculatus*
 Crimson-breasted Flowerpecker *Prionochilus percussus*
 Orange-bellied Flowerpecker *Dicaeum trigonostigma*
 Plain Sunbird *Anthreptes simplex*
 Red-throated Sunbird *Anthreptes rhodolaema*
 Ruby-cheeked Sunbird *Anthreptes singalensis*
 Purple-naped Sunbird *Hyprogramma hypogrammicum*
 Temminck's Sunbird *Aethopyga temminckii*
 Little Spiderhunter *Arachnothera longirostra*
 Long-billed Spiderhunter *Arachnothera robusta*
 Grey-breasted Spiderhunter *Arachnothera affinis*

Fraser's Hill

Long-billed Partridge *Rhizothera longirostris**
 Malayan Partridge *Arborophila campbelli*
 Mountain Peacock Pheasant *Polyplectron inopinatum*
 Rufous Woodpecker *Celeus brachyurus*
 Banded Woodpecker *Picus miniaceus**

Lesser Yellownappe *Picus chlorolophus*
Greater Yellownappe *Picus flavinucha*
Checker-throated Woodpecker *Picus mentalis*
Bay Woodpecker *Blythipicus pyrrhotis*
Grey-and-buff Woodpecker *Hemicircus concretus*
Fire-tufted Barbet *Psilopogon pyrolophus*
Gold-whiskered Barbet *Megalaima chrysopogon*
Golden-throated Barbet *Megalaima franklinii**
Black-browed Barbet *Megalaima oorti*
Blue-eared Barbet *Megalaima australis**
Rhinoceros Hornbill *Buceros rhinoceros**
Wreathed Hornbill *Aceros undulatus*
Orange-breasted Trogon *Harpactes oreskios*
Red-headed Trogon *Harpactes erythrocephalus*
Rufous-collared Kingfisher *Actenoides concretus**
Red-bearded Bee-eater *Nyctornis amictus*
Large Hawk Cuckoo *Cuculus sparverioides*
Green-billed Malkoha *Phaenicophaeus tristis*
Red-billed Malkoha *Phaenicophaeus javanicus*
Blue-crowned Hanging Parrot *Loriculus galgulus*
Glossy Swiftlet *Collocalia esculenta*
Silver-rumped Spinetail *Rhaphidura leucopygialis*
Silver-backed Needletail *Hirundapus cochinchinensis*
House Swift *Apus nipalensis*
Mountain Scops Owl *Otus spilocephalus**
Collared Owlet *Glaucidium brodiei*
Malaysian Eared Nightjar *Eurostopodus temminckii**
Little Cuckoo Dove *Macropygia ruficeps*
Yellow-vented Green Pigeon *Treron seimundi*
Mountain Imperial Pigeon *Ducula badia*
Oriental Honey Buzzard *Pernis ptiloryncus*
Crested Serpent Eagle *Spilornis cheela*
Black Eagle *Ictinaetus malayensis*
Blyth's Hawk Eagle *Spizaetus alboniger*
Asian Fairy Bluebird *Irena puella*
Lesser Green Leafbird *Chloropsis cyanopogon*
Blue-winged Leafbird *Chloropsis cochinchinensis*
Orange-bellied Leafbird *Chloropsis hardwickii*
Tiger Shrike *Lanius tigrinus*
Common Green Magpie *Cissa chinensis*
Large-billed Crow *Corvus macrorhynchos*
Black-and-crimson Oriole *Oriolus cruentus*
Javan Cuckoo Shrike *Coracina javensis*
Grey-chinned Minivet *Pericrocotus solaris*
Scarlet Minivet *Pericrocotus flammeus*
Bar-winged Flycatcher-shrike *Hemipus picatus*
White-throated Fantail *Rhipidura albicollis*
Bronzed Drongo *Dicrurus aeneus*
Lesser Racket-tailed Drongo *Dicrurus remifer*
Greater Racket-tailed Drongo *Dicrurus paradiseus*
Malayan Whistling Thrush *Myophonus robinsoni*
Lesser Shortwing *Brachypteryx leucophrys**
Rufous-browed Flycatcher *Ficedula solitaria*
Little Pied Flycatcher *Ficedula westermanni*
Verditer Flycatcher *Eumyias thalassina*
Large Niltava *Niltava grandis*

Hill Blue Flycatcher *Cyornis banyumas**
Grey-headed Canary-flycatcher *Culicicapa ceylonensis*
Oriental Magpie Robin *Copsychus saularis*
White-rumped Shama *Copsychus malabaricus**
Slaty-backed Forktail *Enicurus schistaceus*
Blue Nuthatch *Sitta azurea*
Sultan Tit *Melanochlora sultanea*
Hill Myna *Gracula religiosa**
Barn Swallow *Hirundo rustica*
Pacific Swallow *Hirundo tahitica*
Striated Swallow *Hirundo striolata*
Black-crested Bulbul *Pycnonotus melanicterus*
Yellow-vented Bulbul *Pycnonotus goiavier*
Ochraceous Bulbul *Alophoixus ochraceus*
Ashy Bulbul *Hemixos flavala**
Mountain Bulbul *Hemixos mcllellandii*
Rufescent Prinia *Prinia rufescens*
Yellow-bellied Prinia *Prinia flavicentris**
Everett's White-eye *Zosterops evertti*
Mountain Tailorbird *Orthotomus cuculatus*
Common Tailorbird *Orthotomus sutorius*
Dark-necked Tailorbird *Orthotomus atrogularis*
Arctic Warbler *Phylloscopus borealis*
Yellow-bellied Warbler *Abroscopus superciliaris*
Black Laughingthrush *Garrulax lugubris*
Chestnut-capped Laughingthrush *Garrulax mitratus*
Chestnut-crowned Laughingthrush *Garrulax erythrocephalus*
Buff-breasted Babbler *Pellorneum tickellii*
Marbled Wren Babbler *Napothera marmorata**
Streaked Wren Babbler *Napothera brevicaudata*
Pygmy Wren-babbler *Pnoepyga pusilla**
Golden Babbler *Stachyris chrysaea*
Grey-throated Babbler *Stachyris nigriceps*
Striped Tit-babbler *Macronous gularis**
Silver-eared Mesia *Leiothrix argentauris*
White-browed Shrike-babbler *Pteruthius flaviscapis*
Black-eared Shrike-babbler *Pteruthius melanotis*
Blue-winged Minla *Minla strigula*
Mountain Fulvetta *Alcippe peracensis*
Long-tailed Sibia *Heterophasia picaoides*
White-bellied Yuhina *Yuhina zantholeuca*
Fire-breasted Flowerpecker *Dicaeum ignipectus*
Ruby-cheeked Sunbird *Anthreptes singalensis*
Black-throated Sunbird *Aethopyga saturata*
Little Spiderhunter *Arachnothera longirostra*
Thick-billed Spiderhunter *Arachnothera crassirostris*
Streaked Spiderhunter *Arachnothera magna*
Yellow Wagtail *Motacilla flava*
Grey Wagtail *Motacilla cinerea*
White-rumped Munia *Lonchura striata**

Mammals

Panti

Dusky Leaf-monkey *Presbytis obscura*
Banded Leaf-monkey *Presbytis melalophus*
Long-tailed Macaque *Macaca fascicularis*
Pig-tailed Macaque *Macaca nemestrina*
White-handed Gibbon *Hylobates lar*
Black-banded Squirrel *Callosciurus nigrovittatus*
Slender Squirrel *Sundasciurus tenuis*
Short-tailed Mongoose *Herpestes brachyurus*

Fraser's Hill

Banded Leaf-monkey *Presbytis melalophus*
Long-tailed Macaque *Macaca fascicularis*
Siamang *Hylobates syndactylus*
Mountain Red-bellied Squirrel *Callosciurus flavimanus*
Himalayan Striped Squirrel *Tamiops mccllellandii*
Yellow-throated Marten *Martes flavigula*

Drafted on 29-30 September 2007 & revised on 2 October 2007.